



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name **OXYGEN, COMPRESSED GAS**

SDS ID: MAT12831

Section 1 - IDENTIFICATION

Product Identifier: OXYGEN, COMPRESSED GAS

Trade Names/Synonyms

MTG MSDS 71; OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; LOX; HYPEROXIA; O2

Chemical Family

inorganic, gas

Recommended Use

industrial

Restrictions on Use

None known.

Manufacturer Information

MATHESON TRI-GAS, INC.
150 Allen Road, Suite 302
Basking Ridge, NJ 07920

General Information: 1-800-416-2505
Emergency #: 1-800-424-9300 (CHEMTREC)
Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with 29 CFR 1910.1200

Oxidizing Gases, Category 1

Gas under pressure; Compressed Gas

GHS LABEL ELEMENTS

Symbol(s)



Signal Word

DANGER

Hazard Statement(s)

May cause or intensify fire; oxidizer

Contains gas under pressure; may explode if heated

Precautionary Statement(s)

Prevention

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil.

Response

In case of fire: Stop leak if safe to do so.

Storage

Protect from sunlight. Store in a well-ventilated place.

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Disposal

Dispose of in accordance with applicable regulations.

Hazard(s) Not Otherwise Classified

May cause frostbite upon sudden release of compressed gas.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component	Percent
7782-44-7	OXYGEN, COMPRESSED GAS	100

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

Inhalation

If adverse effects occur, remove to uncontaminated area. Get medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

frostbite

Delayed

No information on significant adverse effects.

Indication of Immediate Medical Attention and Special Treatment

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media

carbon dioxide, regular dry chemical
Large fires: Use water spray, fog or regular foam.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Negligible fire hazard. Oxidizer. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

Combustion: miscellaneous decomposition products

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not direct water at source of leak or safety devices; icing may occur. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water. Apply water from a protected location or from a safe distance.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Avoid contact with combustible materials. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Do not direct water at spill or source of leak. Keep unnecessary people away, isolate hazard area and deny entry. Isolate area until gas has dispersed. Ventilate closed spaces before entering.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil.

Conditions for Safe Storage, including any Incompatibilities

Store in accordance with all current regulations and standards. Protect from sunlight. Store in a well-ventilated place. Protect from physical damage. Avoid heat, flames, sparks and other sources of ignition. Store in a clean, cool, dry place. Store below 52 °C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatibilities combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

ACGIH, EU, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

Component Biological Limit Values

There are no biological limit values for any of this product's components.

Appropriate Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

Glove Recommendations

Wear insulated gloves.

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Gas	Appearance:	colorless gas
Color:	colorless	Physical Form:	gas
Odor:	odorless	Odor Threshold:	Not available
Taste:	tasteless	pH:	Not available
Melting/Freezing Point:	-218.4 °C	Boiling Point:	-182.96 °C
Flash Point:	non-flammable	Decomposition:	Not available
Evaporation Rate:	Not available	LEL:	Not available
UEL:	Not available	Vapor Pressure:	760 mmHg @ -183 °C
Vapor Density (air = 1):	1.43	Density:	1.309 g/L @ 25 °C
Specific Gravity (water=1):	1.14 @ -183 °C (liquid)	Water Solubility:	3.2 % @ 25 °C
Log KOW:	Not available	Auto Ignition:	Not available
Viscosity:	0.02075 cP @25 °C	Molecular Weight:	31.9988
Molecular Formula:	O ₂		

Other Property Information

No information available.

Solvent Solubility

Soluble: alcohol

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Hazardous Decomposition

Combustion: miscellaneous decomposition products

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Information on Likely Routes of Exposure

Inhalation

irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, chest pain, lung damage, dizziness, disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions

Ingestion

no information on significant adverse effects

Skin Contact

no information on significant adverse effects

Eye Contact

irritation, blurred vision

Immediate Effects

frostbite

Delayed Effects

No information on significant adverse effects.

Medical Conditions Aggravated by Exposure

No data available.

Irritation/Corrosivity Data

No data available.

RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Carcinogenicity

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

Mutagenic Data

No data available.

RTECS Mutagenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Reproductive Effects Data

No data available.

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

RTECS Reproductive Effects

The components of this material have been reviewed, and RTECS publishes the following endpoints:

OXYGEN, COMPRESSED GAS (7782-44-7)

10 pph Inhalation Mouse TClO (24 hour, pregnant 8 day(s)); 10 pph Inhalation Rat TClO (9 hour, pregnant 22 day(s)); 10 pph Inhalation Rat TClO (12 hour, pregnant 22 day(s)); 12 pph Inhalation Woman TClO (10 minute(s), pregnant 26-39 week)

Tumorigenic Data

No test data available.

RTECS Tumorigenic

The components of this material have been reviewed, and RTECS publishes data for one or more components.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration Hazard

Not expected to be an aspiration hazard.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information

Shipping Name: Oxygen, compressed

UN/NA #: UN1072 **Hazard Class:** 2.2

Required Label(s): 2.2, 5.1

IMDG Information

Shipping Name: Oxygen, compressed

UN #: UN1072 **Hazard Class:** 2.2

Required Label(s): 2.2, 5.1

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Section 15 - REGULATORY INFORMATION

Component Analysis

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312 Hazardous Categories

Acute Health: Yes **Chronic Health:** No **Fire:** Yes **Pressure:** Yes **Reactive:** No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
OXYGEN, COMPRESSED GAS	7782-44-7	No	Yes	No	Yes	Yes

Not regulated under California Proposition 65

Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
OXYGEN, COMPRESSED GAS	7782-44-7	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other: Oxidizer

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

Safety Data Sheet

Material Name OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Other Information

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet MAT12831