

# **Safety Data Sheet** Spartan Chemical Company, Inc.

Revision Date: 19-Dec-2019

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name:** WASP & HORNET KILLER

**Product Number:** 6820 Recommended Use: Insecticide

For Industrial and Institutional Use Only **Uses Advised Against:** 

Manufacturer/Supplier: Spartan Chemical Company, Inc.

> 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

CHEMTREC 800-424-9300 Transportation/Spill/Leak:

# 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Skin Corrosion/Irritation: Category 2 Category 2B Serious Eye Damage/Eye Irritation: Specific Target Organ Toxicity (Single Category 3

Exposure):

Aspiration Toxicity: Category 1 Flammable Aerosols Category 1 Gases Under Pressure Compressed gas

GHS Label Elements

Signal Word:

Symbols:





**Hazard Statements:** 

Causes skin irritation. Causes eve irritation.

May cause respiratory irritation. May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

**Precautionary Statements:** 

Prevention: Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

Revision Date: 19-Dec-2019

fatal

Response:

-Skin

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing, Call a POISON CENTER or doctor/physician if you feel unwell

-Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from

sunlight. Do not expose to temperatures exceeding 122°F (50°C)

**Disposal:** Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed.

· May be harmful in contact with skin

Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children.

· Contains petroleum distillates. Possible aspiration hazard.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
C13-14 Alkane	64742-47-8	60-100
Isopropyl Alcohol	67-63-0	5-10
Carbon Dioxide	124-38-9	1-5
C9-10 Aromatic Hydrocarbon	64742-95-6	0.1-1
Tetramethrin	7696-12-0	0.1-1
Trimethylbenzene	95-63-6	0.1-1
Sumithrin	26002-80-2	0.1-1
Xylene	1330-20-7	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

**-Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Rinse mouth. Do NOT induce

vomiting. Never give anything by mouth to an unconscious person.

Note to Physicians: Contains petroleum distillates. Possible aspiration hazard.

### 5. FIRE-FIGHTING MEASURES

Revision Date: 19-Dec-2019

Suitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

**Hazardous Combustion Products:** 

Water spray (fog), Foam

Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Bursting aerosol containers may be propelled from fire at high speed.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with eyes and skin. Use personal protective equipment as required. Remove

all sources of ignition.

**Environmental Precautions:** Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

# 7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse Advice on Safe Handling:

> by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

handling.

NFPA 30B Level 3 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Storage Conditions:

Exposure to high temperature may cause containers to burst. Keep out of the reach of

children.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Carbon Dioxide 124-38-9	STEL: 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m³ (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m³ (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 30000 ppm STEL: 54000 mg/m³
Trimethylbenzene 95-63-6	2		TWA: 25 ppm TWA: 125 mg/m <sup>3</sup>
Xylene STEL: 150 ppm 1330-20-7 TWA: 100 ppm		TWA: 100 ppm TWA: 435 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m³	

**Engineering Controls:** Provide good general ventilation.

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves. 6820 - WASP & HORNET KILLER

Revision Date: 19-Dec-2019

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:** 

See 29 CFR 1910.132-138 for further guidance.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol	
Color:	Colorless	
Odor:	solvent	
pH:	Not Applicable	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	175 °C / 347 °F (Product without propellant)	
Flash Point:	81 °C / 178 °F ASTM D56 (based on components)	
Evaporation Rate:	> 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.814 (Product without propellant)	
Solubility(ies):	Miscible in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

#### 10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

#### 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:

Symptoms of Exposure:

Eyes, Skin, Ingestion, Inhalation.

-Eve Contact:

Pain, redness and swelling of the conjunctiva. Pain, redness and cracking of the skin.

-Skin Contact: -Inhalation: Nasal discomfort and coughing.

-Ingestion: Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed, Aspiration may

cause pulmonary edema and pneumonitis.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 5200 mg/kg ATEmix (dermal): 2277 mg/kg ATEmix (inhalation-dust/mist): 854.7 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
CHEIIICAI NAITE	Olai LD30	Dermai LD30	Illiaiation LC30

C13-14 Alkane 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat) 4 h
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ (Rat)4 h
C9-10 Aromatic Hydrocarbon 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 3400 ppm (Rat)4 h
Tetramethrin 7696-12-0	= 4640 mg/kg (Rat)	Not Available	> 2500 mg/m³ (Rat) 3 h
Trimethylbenzene 95-63-6	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m³ (Rat) 4 h
Sumithrin 26002-80-2	> 10 g/kg (Rat)	Not Available	Not Available
Xylene 1330-20-7	= 3500 mg/kg (Rat)	> 4350 mg/kg ( Rabbit )	= 29.08 mg/L (Rat) 4 h

Revision Date: 19-Dec-2019

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
C13-14 Alkane 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
C9-10 Aromatic Hydrocarbon 64742-95-6	Not Available	9.22: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	6.14: 48 h Daphnia magna mg/L EC50
Frimethylbenzene 95-63-6	Not Available	7.19 - 8.28: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	6.14: 48 h Daphnia magna mg/L EC50
Xylene 1330-20-7	Not Available	13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	Not Available	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50

Persistence and Degradability: Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

### 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

### 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 19-Dec-2019

expert for information specific to your situation.

IMDG:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Additional information: Limited Quantity

#### 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 706-109-5741

**EPA Statement:** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label:** 

Caution. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

#### 16. OTHER INFORMATION

NFPA Health Hazards: 2 Flammability: 3 Instability: 0 Special: N/A

HMIS Health Hazards: 2\* Flammability: 4 Physical Hazards: 2

Revision Date: 19-Dec-2019

Reasons for Revision: Section, 2, 3, 8, 11, and, 12

6820 - WASP & HORNET KILLER

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date: 19-Dec-2019

**End of Safety Data Sheet** 

Page 7/7